



CRD Standard Edition

The grid below shows the main functionalities which are available in the standard edition. Not all functionality is listed. ✓ indicates that the functionality is included as standard. If you do not find the functionality you require in the Additional Functionality list in the web store but you have used it in the Evaluation Edition, then you can safely assume that it is included as standard.

Don't hesitate to contact us at <http://www.christiansteven.com/contacts.html> if you have any questions.

| General | Standard |
|--|-----------------|
| Max Number of Schedules | 50 |
| Number of Seats (Installations) | 1 |
| Schedule Type | |
| Schedule Single Reports | ✓ |
| Schedule Packages of reports | ✓ |
| Automation Schedules | ✓ |
| Dynamic Schedules | |
| Event Based Schedules | |
| Bursting Schedules | |
| Data-Driven Schedules | |
| Inserts | |
| Crystal Functions | |
| CRD Functions | |
| Write your own functions | |
| Crystal Reports Fields | |
| Data Items | |
| Event-Based Constants | |
| Data-Driven Constants | |
| Email Delivery | |
| Output to email | ✓ |
| Max number of recipients per schedule | 50 |
| Silent integration with MS Outlook/Exchange | ✓ |
| Use Outlook/Exchange Address Book | ✓ |
| Use CRD's Mail Server | ✓ |
| Use Single SMTP account | ✓ |
| Use Multiple SMTP accounts | |
| Use CRD's own address book | ✓ |
| Use Lotus Notes | ✓ |
| Read email address from a database | |
| Read email addresses from a mailing list (text file) | |
| Add another file as attachment to email | ✓ |
| cc and bcc fields | |
| Read Receipt Processing (Exchange/Outlook only) | |
| Print Delivery | |
| Output to single printer | ✓ |
| Multiple copies to a single printer | ✓ |
| Output to multiple printers (Bulk Printing) | |
| Multiple copies to multiple printers | |
| File Delivery | |
| Output to folder | ✓ |
| Output to FTP/Secure FTP folder | |
| FAX Delivery | |
| Manual output to fax driver | ✓ |
| Automated Faxing | |

| | |
|--|---|
| One recipient per schedule/package | |
| Multiple recipients per schedule/package | |
| Other Delivery | |
| SMS (Cell Phone Text) | |
| File Transfer via RAS to a remote PC | |
| ODBC | |
| Output Formats | |
| Acrobat (PDF) | ✓ |
| Crystal Reports (RPT) | ✓ |
| Character Separated (CSV) | ✓ |
| HTML | ✓ |
| Excel 7 | ✓ |
| Excel 8 | ✓ |
| Excel 97-2000 | ✓ |
| MS Word | ✓ |
| Rich Text (Exact Format) (RTF) | ✓ |
| Tab Separated | ✓ |
| Text | ✓ |
| XML | ✓ |
| Lotus (WK1, WK3, WKS) | ✓ |
| Record Style (rec) | ✓ |
| ODBC | ✓ |
| Tif | ✓ |
| Frequencies | |
| Every day | ✓ |
| Every week day | ✓ |
| Every Month | ✓ |
| Every Year | ✓ |
| Repeat every x hours until... | ✓ |
| Custom Frequency Calendar e.g. 4-4-3 | ✓ |
| Custom Exception Calendars (Don't run on specified days) | ✓ |
| Event Based | |
| Export now, deliver later (different export and delivery times) | |
| Special Excel Output Options | |
| Burst report groups into individual worksheets in one workbook | |
| Merge a package of multiple reports into individual worksheets in one workbook | |
| Modify Excel File Properties e.g. Title, Author, etc | |
| Special PDF Output Options | |
| Merge a package of multiple reports into a single PDF | |
| PDF export with navigation tree | |
| Password protect PDF output | |
| Watermarks in PDF output | |
| Custom Action Types | |
| Run a program (exe, com, bat) | ✓ |
| Open a document | ✓ |
| Print a Document | ✓ |
| Wait/Pause | ✓ |
| Send an email | ✓ |
| Bcc for above | ✓ |
| Open a web address | ✓ |
| Move a file | ✓ |

| | |
|---|---|
| Delete a file | ✓ |
| Copy a file | ✓ |
| Rename a file | ✓ |
| Compress (zip) a file | ✓ |
| Uncompress (unzip) a file | ✓ |
| Create a text file | ✓ |
| Update a text file | ✓ |
| Copy a folder | ✓ |
| Create a folder | ✓ |
| Rename a folder | ✓ |
| Delete a folder | ✓ |
| Send SMS | ✓ |
| Run another schedule/package | |
| Database - Create a table | |
| Database - Drop a table | |
| Database - Create a record | |
| Database - Delete a record | |
| Database - Update a record | |
| Execute a SQL Stored Procedure | |
| Execute a SQL script from a file | |
| Create/Write a SQL script | |
| FTP - Upload file | |
| FTP - Download file | |
| FTP - Create directory | |
| FTP - Delete Directory | |
| Secure FTP - Upload file | |
| Secure FTP - Download file | |
| Secure FTP - Create directory | |
| Secure FTP - Delete Directory | |
| Registry - Add a key | |
| Registry - Delete a key | |
| Registry - Modify a key/value | |
| Merge PDF | |
| Schedulers | |
| Application Scheduler | ✓ |
| NT service scheduler | ✓ |
| Scalability and Administration | |
| Multi-threading | |
| CRD Clustering | |
| Remote Administration | |
| Secure User logon and profiles | |
| CRD Database stored in Access (default) | ✓ |
| Stored in local SQL MSDE/Express | ✓ |
| Stored in your own enterprise ODBC compliant database | |
| Folder Housekeeping | |
| Report history "Snapshots" | |
| Archive disabled schedules | |
| Email, Fax, File, FTP and Print in the SAME schedule | |
| Manual system backup/restore | ✓ |
| Scheduled system backups | ✓ |
| Single schedule export/import | |



| Command Line Options | |
|---|---|
| Run schedules by command line | ✓ |
| Run packages by command line | ✓ |
| Run a system backup by command line | ✓ |
| Specify email address or fax number in command line | |
| Specify parameter values in command line | |
| Create a schedule by command line | |